
TEXAS PARKS AND WILDLIFE

BIRDS OF SOUTH LLANO RIVER S T A T E P A R K



A FIELD CHECKLIST

2019

INTRODUCTION

South Llano River State Park, a 2,630-acre tract in Kimble County, Texas, lies on the west central Edwards Plateau. The clear, usually placid South Llano River courses through the tract. Bottomlands of the South Llano support a local forest of pecan, elm, oak and sycamore that shelters a significant winter roost for the Rio Grande subspecies of Wild Turkey.

Canyons on the escarpment support diverse deciduous woodlands of hackberry, persimmon, walnut, and several species of oak including Live Oak, Shin Oak, Spanish Oak, Lacey Oak and some Chinquapin Oak. Ashe juniper and oak woodlands cover the canyon slopes. Mesquite and succulents are more common in the lowland areas.

Birdlife is characteristic of the canyons of the Edwards Plateau with numerous typically western, "arid-land species" present. Woodlands and gallery forests, particularly along the South Llano River, are excellent habitats in which to observe migrants.

Green Kingfishers and occasionally Black Phoebes can be seen foraging along the clear river. Ringed Kingfishers, though uncommon, can also be viewed by canoeing or kayaking mainly downstream from the park. Black-capped Vireos are usually found just inside the mouths of the canyons or in some of the higher elevations of the park. Hike the Fawn Trail in spring/ early summer for this species. The Golden-cheeked Warbler nests in canyons with mature juniper mixed with hardwoods and is frequently observed in early spring. Zone-tailed Hawks can sometimes be observed soaring along the river corridor both above and below the park. The park bird blinds are an excellent place to see species such as Painted Bunting, Black-throated Sparrow, and Spotted Towhee. During the warmer months the Vermilion Flycatcher is a regular around the park headquarters complex, day use area and along the high fence on the entrance road. Wild Turkey can be seen foraging in the park lowlands and backcountry throughout the year.

To provide maximum protection for the winter Wild Turkey roost, access to the park's day use area is restricted from October 1 through March 31 to the hours of 10:00 AM to 3:00 PM. Specific details can be obtained by calling South Llano River State Park can be obtained by calling the park at (325) 446-3994.

This checklist was originally compiled by Dr. Nick Jackson, formerly of Junction, and represented observations in the area since 1980. It included 5 years worth of records contributed by C.C. and Iris Wiedenfeld, formerly of San Angelo. Since 2004 the checklist was compiled by Rhandy J. Helton and Ann Lemon of Junction and this edition was updated by Rhandy Helton and Holly Platz. A revision of this checklist would not have been possible without the contributions and observations provided by park birding hosts Bill and Rosita Shane. Nomenclature and organization for this checklist follow the 7th edition of the A.O.S. Check-list of North American Birds as currently supplemented.

Please report any new or unusual observations to the state park headquarters. For additional help with finding birds in this area contact the park or the checklist compilers.

Please help us protect the natural avian communities in our parks by refraining from using playback tapes of bird songs. Frequent use of these tapes disrupts normal avian activity patterns, including essential territorial behavior, and may lead to nest failure. Thank you for your cooperation.

LEGEND

Abundance (in suitable habitat)

- A Abundant (many should be seen or heard)
- C Common (should always be seen or heard)
- U Uncommon (might be seen or heard but not always)
- R Rare (seldom seen or heard but regular visitor or resident)
- VR Very Rare (irregular, not seen or heard every year, few records)

Seasons

- SPG Spring (March, April, May)
- SUM Summer (June, July, August)
- FAL Fall (September, October, November)
- WIN Winter (December, January, February)

CHECKLIST

| | SPR | SUM | FAL | WIN |
|------------------------------|-----|-----|-----|-----|
| Ducks, Geese, and Swans | | | | |
| Black-bellied Whistling-Duck | R | R | | |
| Snow Goose | | | VR | |
| Wood Duck | U | U | U | U |
| Gadwall | U | | U | U |
| American Wigeon | U | | U | U |
| Mallard | U | | U | U |
| Blue-winged Teal | U | | U | U |
| Northern Shoveler | U | | U | U |
| Northern Pintail | R | | R | R |
| Green-winged Teal | U | | U | U |
| Ring-necked Duck | R | | R | R |
| Lesser Scaup | | | R | U |
| Bufflehead | R | | R | |
| Ruddy Duck | R | | R | R |
| New World Quail | | | | |
| Northern Bobwhite | U | U | U | U |
| Partridges and Turkeys | | | | |
| Wild Turkey | С | С | С | С |
| Grebes | | | | |
| Least Grebe | | | VR | |
| Pied-billed Grebe | U | | U | U |
| Pigeons and Doves | | | | |
| Rock Pigeon | U | U | U | U |
| Eurasian Collared-Dove | U | U | U | U |

| | SPR | SUM | FAL | WIN |
|------------------------------|-----|-----|-----|-----|
| Inca Dove | С | С | С | С |
| Common Ground-Dove | U | U | U | U |
| White-tipped Dove | VR | | | |
| White-winged Dove | А | А | А | А |
| Mourning Dove | С | С | С | U |
| Cuckoos and Roadrunners | | | | |
| Yellow-billed Cuckoo | С | С | U | |
| Greater Roadrunner | U | U | U | U |
| Goatsuckers | | | | |
| Lesser Nighthawk | R | R | | |
| Common Nighthawk | U | С | U | R |
| Common Poorwill | С | С | U | R |
| Chuck-will's-widow | С | С | R | |
| Eastern Whip-poor-will | VR | | | |
| Swifts | | | | |
| Chimney Swift | U | С | U | |
| Hummingbirds | | | | |
| Ruby-throated Hummingbird | С | U | С | |
| Black-chinned Hummingbird | С | С | С | |
| Broad-tailed Hummingbird | VR | | VR | |
| Rufous Hummingbird | R | VR | R | |
| Calliope Hummingbird | VR | | | |
| Rails, Gallinules, and Coots | | | | |
| American Coot | R | | R | R |
| Cranes | | | | |
| Sandhill Crane | U | | U | |

| | SPR | SUM | FAL | WIN |
|------------------------------|-----|-----|-----|-----|
| Stilts and Avocets | | | | |
| American Avocet | R | | R | |
| Plovers | | | | |
| Killdeer | U | U | U | |
| Sandpipers | | | | |
| Upland Sandpiper | R | | R | |
| Long-billed Curlew | VR | | VR | |
| Least Sandpiper | R | | | |
| Wilson's Snipe | | | R | R |
| Spotted Sandpiper | U | U | U | R |
| Solitary Sandpiper | R | | U | |
| Gulls and Terns | | | | |
| Ring-billed Gull | VR | | | |
| Loons | | | | |
| Common Loon | VR | | | |
| Cormorants | | | | |
| Neotropic Cormorant | VR | | | VR |
| Double-crested Cormorant | U | | U | U |
| Bitterns, Herons, and Allies | | | | |
| Great Blue Heron | U | U | U | U |
| Great Egret | U | U | | |
| Little Blue Heron | | VR | | |
| Reddish Egret | | | VR | |
| Cattle Egret | R | R | | |
| Green Heron | U | U | U | |
| Black-crowned Night Heron | | VR | | |
| Yellow-crowned Night Heron | | R | R | |
| | | | | |

| | SPR | SUM | FAL | WIN |
|--------------------------|-----|-----|-----|-----|
| Ibises and Spoonbills | | | | |
| White-faced Ibis | R | | | |
| New World Vultures | | | | |
| Turkey Vulture | А | А | С | R |
| Black Vulture | А | А | С | С |
| Osprey | | | | |
| Osprey | U | R | U | U |
| Hawks, Kites, and Eagles | | | | |
| Golden Eagle | R | | R | R |
| Northern Harrier | | | R | R |
| Sharp-shinned Hawk | U | R | U | U |
| Cooper's Hawk | U | U | U | U |
| Bald Eagle | R | | R | R |
| Mississippi Kite | R | R | U | |
| Common Black Hawk | VR | VR | | |
| Red-shouldered Hawk | С | С | U | U |
| Broad-winged Hawk | R | | R | |
| Swainson's Hawk | U | R | U | VR |
| Zone-tailed Hawk | U | U | U | |
| Red-tailed Hawk | С | С | С | С |
| Typical Owls | | | | |
| Western Screech-Owl | VR | VR | VR | VR |
| Eastern Screech-Owl | U | С | U | U |
| Great Horned Owl | С | С | С | С |
| Barred Owl | VR | | | |
| Kingfishers | | | | |
| Ringed Kingfisher | U | U | U | U |

| | SPR | SUM | FAL | WIN |
|---------------------------|-----|-----|-----|-----|
| Belted Kingfisher | С | U | С | С |
| Green Kingfisher | С | С | С | U |
| Woodpeckers | | | | |
| Lewis's Woodpecker | VR | | | VR |
| Red-headed Woodpecker | VR | | VR | VR |
| Acorn Woodpecker | VR | | VR | VR |
| Golden-fronted Woodpecker | С | С | С | С |
| Yellow-bellied Sapsucker | | | U | U |
| Red-naped Sapsucker | | | VR | VR |
| Ladder-backed Woodpecker | С | С | С | С |
| Downy Woodpecker | U | U | U | U |
| Northern Flicker | | | U | U |
| Caracaras and Falcons | | | | |
| Crested Caracara | U | U | U | U |
| American Kestrel | U | | С | С |
| Merlin | R | | R | R |
| Peregrine Falcon | R | | R | |
| Prairie Falcon | | | | VR |
| Flycatchers | | | | |
| Ash-throated Flycatcher | С | С | U | VR |
| Great Crested Flycatcher | С | С | U | |
| Brown-crested Flycatcher | С | С | | |
| Piratic Flycatcher | | | VR | |
| Couch's Kingbird | | VR | VR | |
| Cassin's Kingbird | | R | | |
| Western Kingbird | U | U | U | VR |
| Eastern Kingbird | R | R | U | |

| | SPR | SUM | FAL | WIN |
|---------------------------|-----|-----|-----|-----|
| Scissor-tailed Flycatcher | С | С | С | |
| Olive-sided Flycatcher | U | | U | |
| Western Wood Pewee | VR | | | |
| Eastern Wood Pewee | С | С | U | |
| Acadian Flycatcher | U | U | R | |
| Alder Flycatcher | R | | | |
| Willow Flycatcher | R | | R | |
| Least Flycatcher | U | | U | |
| Cordilleran Flycatcher | | | VR | |
| Black Phoebe | U | U | U | U |
| Eastern Phoebe | С | С | С | С |
| Say's Phoebe | U | | U | R |
| Vermilion Flycatcher | С | С | С | U |
| Shrikes | | | | |
| Loggerhead Shrike | R | R | U | U |
| Vireos | | | | |
| Black-capped Vireo | С | С | U | |
| White-eyed Vireo | С | С | С | R |
| Bell's Vireo | С | А | U | |
| Hutton's Vireo | U | U | U | R |
| Yellow-throated Vireo | С | С | U | |
| Blue-headed Vireo | U | | U | R |
| Philadelphia Vireo | VR | | | |
| Warbling Vireo | U | | U | |
| Red-eyed Vireo | С | С | U | |
| | | | | |

| | SPR | SUM | FAL | WIN |
|-------------------------------|-----|-----|-----|-----|
| Jays, Ravens, and Crows | | | | |
| Blue Jay | R | R | R | R |
| Woodhouse's Scrub-Jay | С | С | С | С |
| Chihuahuan Raven | R | | R | |
| Common Raven | С | С | С | С |
| Larks | | | | |
| Horned Lark | VR | | | |
| Swallows | | | | |
| Purple Martin | С | С | R | |
| Tree Swallow | R | | R | |
| Northern Rough-winged Swallow | С | С | U | |
| Bank Swallow | R | R | R | |
| Cliff Swallow | С | С | U | |
| Cave Swallow | С | С | С | |
| Barn Swallow | С | С | U | |
| Chickadees and Titmice | | | | |
| Carolina Chickadee | С | С | С | С |
| Black-crested Titmouse | А | А | А | А |
| Verdins | | | | |
| Verdin | С | С | С | С |
| Bushtits | | | | |
| Bushtit | U | U | U | R |
| Nuthatches | | | | |
| Red-breasted Nuthatch | | | VR | VR |
| Creepers | | | | |
| Brown Creeper | | | U | U |

| | SPR | SUM | FAL | WIN |
|----------------------------|-----|-----|-----|-----|
| Wrens | | | | |
| Rock Wren | R | R | R | R |
| Canyon Wren | С | С | U | U |
| House Wren | U | | U | U |
| Winter Wren | | | | R |
| Marsh Wren | R | R | R | R |
| Carolina Wren | С | С | С | С |
| Bewick's Wren | С | С | С | С |
| Cactus Wren | VR | VR | VR | VR |
| Gnatcatchers | | | | |
| Blue-gray Gnatcatcher | С | А | С | R |
| Black-tailed Gnatcatcher | VR | | | |
| Kinglets | | | | |
| Golden-crowned Kinglet | R | | U | U |
| Ruby-crowned Kinglet | U | | С | С |
| Thrushes | | | | |
| Eastern Bluebird | С | С | С | С |
| Western Bluebird | | | | R |
| Mountain Bluebird | | | R | R |
| Townsend's Solitaire | VR | | | VR |
| Swainson's Thrush | U | | U | |
| Hermit Thrush | С | | С | С |
| American Robin | С | R | U | С |
| Mockingbirds and Thrashers | | | | |
| Gray Catbird | R | | R | |
| Curve-billed Thrasher | R | R | R | R |
| Brown Thrasher | U | | U | U |

| | SPR | SUM | FAL | WIN |
|----------------------------|-----|-----|-----|-----|
| Long-billed Thrasher | | | R | R |
| Sage Thrasher | | | VR | VR |
| Northern Mockingbird | С | С | С | С |
| Starlings | | | | |
| European Starling | R | R | R | R |
| Waxwings | | | | |
| Cedar Waxwing | С | | U | С |
| Silky-flycatchers | | | | |
| Phainopepla | | | VR | VR |
| Old World Sparrows | | | | |
| House Sparrow | С | С | С | С |
| Wagtails and Pipits | | | | |
| American Pipit | U | | U | U |
| Sprague's Pipit | | | R | |
| Finches and Allies | | | | |
| House Finch | А | А | А | А |
| Purple Finch | | | | VR |
| Cassin's Finch | | | | VR |
| Red Crossbill | | | VR | VR |
| Pine Siskin | U | | С | С |
| Lesser Goldfinch | С | С | С | U |
| American Goldfinch | U | | U | С |
| Longspurs | | | | |
| Chestnut-collared Longspur | VR | | | |
| Towhees and Sparrows | | | | |
| Olive Sparrow | R | R | | |
| Green-tailed Towhee | R | | R | R |

| SPR | SUM | FAL | WIN |
|-----|--|---|---|
| С | | С | С |
| VR | | | |
| С | С | С | С |
| С | С | С | С |
| U | U | U | R |
| С | С | С | С |
| С | | С | R |
| | | VR | |
| С | С | С | С |
| U | | U | U |
| С | А | С | R |
| С | С | С | С |
| R | | R | R |
| U | | U | U |
| U | | U | |
| VR | | | |
| U | | U | U |
| С | | С | С |
| С | | С | С |
| R | | R | R |
| U | | U | U |
| R | | R | R |
| С | | С | С |
| U | | U | U |
| | | | |
| С | С | U | |
| | C VR C U C C C C C C C C C C C C C C C C C | C C C C U U C C C C C C C C C C C C C C | C C VR C C C C C C C U U U C C C U U U C C C U U U C A C C C C R R R U U U VR U U V U U VR C C R R R U U U VR C C R R R U U U R R R U U U R R R R Q C C C R R C C U U U U R R C C |

| | SPR | SUM | FAL | WIN |
|--------------------------------------|-----|-----|-----|-----|
| Blackbirds, Meadowlarks, and Orioles | | | | |
| Yellow-headed Blackbird | R | | R | |
| Eastern Meadowlark | R | R | R | R |
| Western Meadowlark | U | | U | С |
| Orchard Oriole | С | С | U | |
| Hooded Oriole | VR | | | |
| Bullock's Oriole | U | U | U | |
| Audubon's Oriole | VR | | | |
| Baltimore Oriole | R | R | U | |
| Scott's Oriole | С | С | U | |
| Red-winged Blackbird | U | С | U | |
| Bronzed Cowbird | U | U | U | |
| Brown-headed Cowbird | С | С | С | |
| Brewer's Blackbird | | | R | R |
| Common Grackle | R | R | | |
| Great-tailed Grackle | U | U | U | |
| Wood Warblers | | | | |
| Ovenbird | R | | | |
| Louisiana Waterthrush | R | R | | |
| Northern Waterthrush | R | | R | |
| Golden-winged Warbler | R | | | |
| Black-and-white Warbler | С | С | U | R |
| Prothonotary Warbler | R | | | |
| Tennessee Warbler | R | | | |
| Orange-crowned Warbler | С | | С | С |
| Nashville Warbler | С | | С | R |
| Virginia's Warbler | VR | | | |

| | SPR | SUM | FAL | WIN |
|------------------------------|-----|-----|-----|-----|
| MacGillivray's Warbler | U | | U | |
| Mourning Warbler | R | | R | |
| Kentucky Warbler | VR | | | |
| Common Yellowthroat | U | R | U | U |
| Hooded Warbler | R | | | |
| American Redstart | R | | R | |
| Cape May Warbler | VR | | | |
| Northern Parula | R | | | |
| Magnolia Warbler | VR | | | |
| Bay-breasted Warbler | VR | | | |
| Blackburnian Warbler | R | | | |
| Yellow Warbler | С | R | С | |
| Chestnut-sided Warbler | R | | | |
| Blackpoll Warbler | VR | | | |
| Pine Warbler | | | R | R |
| Yellow-rumped Warbler | С | | С | А |
| Yellow-throated Warbler | С | С | U | |
| Black-throated Gray Warbler | | | R | |
| Golden-cheeked Warbler | С | U | | |
| Black-throated Green Warbler | U | | U | |
| Townsend's Warbler | | | VR | |
| Canada Warbler | VR | | | |
| Wilson's Warbler | С | | С | |

| | SPR | SUM | FAL | WIN |
|------------------------------------|-------------|-----|-----|-----|
| Cardinals, Tanagers, Grosbeaks, an | nd Buntings | | | |
| Summer Tanager | С | С | С | |
| Scarlet Tanager | VR | | | |
| Western Tanager | R | | R | |
| Northern Cardinal | А | А | А | А |
| Pyrrhuloxia | U | U | U | U |
| Rose-breasted Grosbeak | R | | R | |
| Black-headed Grosbeak | R | | R | |
| Blue Grosbeak | С | С | U | |
| Lazuli Bunting | R | | R | |
| Indigo Bunting | С | С | U | |
| Varied Bunting | VR | VR | | |
| Painted Bunting | А | А | U | |
| Dickcissel | U | R | U | |

CITATION

Helton, Rhandy and Platz, Holly. January 2019. Birds of South Llano River State Park: a field checklist. Natural Resource Program, Texas Parks and Wildlife Department. Austin.

Cover: Illustration of turkey by Rob Fleming.

In 1983, the Texas Legislature created the Special Nongame and Endangered Species Conservation Fund. This fund may be used for nongame wildlife and endangered species research and conservation, habitat acquisition and development and dissemination of information pertaining to nongame management. Money for this fund is obtained through private donations and sale of nongame wildlife art prints and stamps. This fund now gives Texans a unique opportunity to help support this state's valuable and sensitive nongame resources. Your individual contributions and purchases of nongame art prints and stamps will help determine the level of nongame conservation activities in Texas. For more information call toll-free (1-800-792-1112) or contact: **Nongame and Endangered Species Program, Texas Parks and Wildlife Department, 4200 Smith School Road, Austin, Texas 78744.**

TPWD receives funds from the USFWS. TPWD prohibits discrimination on the basis of race, color, religion, national origin, disability, age, and gender, pursuant to state and federal law. To request an accommodution or obtain information in an alternative format, please contact TPWD on a Text Telephone (TTY) at (512) 389-8915 or by Relay Texas at 7-1-1 or (800) 735-2989 or by email at accessibility@ tpwd.texas.gov. If you believe you have been discriminated against by TPWD, please contact TPWD, 4200 Smith School Road, Austin, TX 78744, or the U.S. Fish and Wildlife Service, Office for Diversity and Workforce Management, 5275 Leesburg Pike, Falls Church, VA 22041.



Natural Resources Program Texas Parks and Wildlife 4200 Smith School Road Austin, Texas 78744

© 2019 Texas Parks and Wildlife Department. PWD BK P4507-116A (5/19) In accordance with Texas Depository Law, this publication is available at the Texas State Publications Clearinghouse and/or Texas Depository Libraries.