Section 6 Report Review

Attachment to letter dated August 13, 2001

Project: <u>F</u>	expanded Capacity for Rare Resource Education and Outreach
Final or int	erim report? Final
Job #: <u>W</u>	/ER 05 (Job 76)
Reviewer's	Station: Austin Fish and Wildlife Service
Lead statio Yes _	n was contacted and concurs with the following comments: No X Not applicable (reviewer is from lead station)
Report:	X is acceptable as is
	is acceptable as is for an interim report, but the following comments are made for future reference
	needs revision (listed below)

Comments: (Note to commenter: If you make comments directly on a copy of the report, write legibly and dark so comments will reproduce well when photocopied.)

The materials produced will be very helpful to a wide variety of educators teaching rare and endangered species concepts. Would suggest that Texas Parks and Wildlife forward a complete set of the notebooks and video to each U.S. Fish and Wildlife Service office for their files and use. Only one set was provided for review.

FINAL REPORT

As Required By

THE ENDANGERED SPECIES PROGRAM

TEXAS

Grant No. E-1-12

Endangered and Threatened Species Conservation

Project Number WER05 (76): Expanded Capacity for Rare Resource Education and Outreach

Prepared By: Ann Milier



Andrew Sansom Executive Director

John Herron Program Director, Wildlife Diversity Gary Graham Division Director, Wildlife

FINAL REPORT

STATE: <u>Texas</u>	GRAN	f number:	E-1-12
GRANT TITLE:	Endangered and Threatened S	pecies Conservatio	ή
REPORTING PERIOD: _	September 1, 1996 through A	August 31, 2000	
PROJECT NUMBER:	WER05 (76)		
PROJECT TITLE: Expand	ded Capacity for Rare Resource	Education and Ou	treach.
OBJECTIVE: To develop on Section 6 research and inv	curricula and key education proventory projects already comple	ducts that will com ted or in production	plement and build n.
Prepared by:An	m Mitler	Date: <u>Jun</u>	e 1, 2001
Approved by:	13 auto	Date:	July 16, 2001

Section 6 Final Report

Executive Summary

The purpose of this Section 6 project was to develop new educational opportunities and outreach products to complement and build on knowledge derived from Section 6 projects already completed or in production. Work from this project has resulted in:

- 1. A state-wide series of workshops for educators called, Rare and WILD Texas.
- Curriculum for an "Outdoor Classroom" program that will provide teachers with field investigations for their students and opportunities to learn about conservation of Texas' rare plants and animals
- Video about Texas' rare species compiled from segments of past "Texas Parks and Wildlife" shows aired on PBS stations

Materials for each of the above are enclosed.

The total of 30 workshops were presented within the time of this grant, with a total of 536 participants at the workshops. The State Board of Educator Certification approved the Rare and WILD Texas workshops for continuing education credits for teachers. The Texas Environmental Education Advisory Committee also approved the workshop for its environmental education credits, making this workshop very desirable to teachers. The workshop activities were also correlated to the Texas Essential Knowledge and Skills for science and social studies.

Participants at the workshops demonstrated and received a set of seven activities to help them teach their students about rare Texas wildlife. In addition, they received a Rare Texas Wildlife Bingo game and a Jeopardy game designed by our staff as well as regional packets designed to focus on specific rare species in different parts of the state. Participants also purchased videos ("The Web" and "Ecoregions of Texas"), Rare Texas Wildlife Trading Cards, and the "Endangered and Threatened Species of Texas" poster at their replacement cost. Since May of 2000, participants have also received the free mini poster, "Rare Beauties of Texas" that appeared in the Texas Parks and Wildlife magazine. Participants of future workshops will also be able to purchase the new video, "Texas Treasure: Portraits of Rare Texas Plants and Wildlife."

With limited publicity, the Rare and WILD Texas Essay and Poster Contest (in its second year) drew more than 50 entries. Prizes were awarded in each category. Winning entries may be seen at our web site:

http://www.tpwd.state.tx.us/nature/education/rare_wild

In order to tie many of our projects together under one program easily identified by our constituents, curriculum developed and adapted for the "Outdoor Classroom" program as described in our original proposal, has been marketed as Texas Nature Trackers Field Investigations. These activities help teachers prepare students for monitoring projects and provide background information about threats to Texas wildlife.


In addition to preparing the curriculum, our staff designed teacher workshops to present these field investigations to teachers. The workshops received State Board of Educator Certification approval to give teachers continuing education credits for attendance. In addition, staff applied for and received permission to offer a special Texas Nature Trackers workshop to teachers working towards gifted and talented education credits. The curriculum has also been correlated with the Texas Essential Knowledge and Skills for science and social studies.

In the past 2 years, five 4 to 6-hour teacher workshops have been presented, with training provided to over 90 educators, some of whom elect to participate in more than one monitoring project. Staff is continuing to refine and improve both the curriculum and the workshop presentations as field-testing and feedback from teachers indicates the need for change. Dates are already being set for Texas Nature Trackers workshops for 2001.

The video, Texas Treasure: Portraits of Rare Texas Plants and Wildlife, has been completed. The video is 34 minutes long and introduces viewers to over a dozen rare Texas species. In addition, the video describes habitats and threats to each species as well as management techniques being used to help each species. The video emphasizes positive ways citizens protect and restore species and habitats on their own properties. Written materials for classroom use are being prepared to accompany the video, with distribution beginning in December, 2000. The video will be publicized to teachers via workshops, our web site, conferences, and several different environmental education newsletters. We will also distribute it to Texas Parks and Wildlife staff across the state for use in their outreach presentations.



Prepared by
Endangered Resources Branch
Texas Parks and Wildlife Department
3000 IH 35 South, Suite 100
Austin, Texas
(512) 912-7011
(800) 792-1112



OBJECTIVES

Students will be able to:

- 1) define what it means for a plant or animal to be endangered or threatened,
- 2) identify and name a number of Texas endangered and threatened species,
- 3) describe factors which may cause species to decline and become endangered, and
- discuss why we should care about endangered and threatened species.

METHOD

Students play the roles of endangered/threatened animals and plants, habitat components, and threats to survival in an active physical activity.

BACKGROUND

An endangered species is a plant or animal that is in danger of becoming extinct. Extinction is the complete dying out of a plant or animal species. A threatened species is one that is likely to become endangered in the future.

Extinction is sometimes a natural process. The dinosaurs, the wooly mammoth, and many species of plants are gone. Why should we care about endangered species today? Because only recently have we begun to realize how one species can dramatically influence the rate of disappearance of other species. It was not until the 20th century that we began to recognize that man could cause the loss of large numbers of species. Prior to 1900, three species were known to have disappeared from Texas. From 1901 to 1958, another four species were extirpated (no longer exist in Texas). Since 1959, an alarming ten species or subspecies are known to have become extinct in Texas. Of the above 17 species, six are extinct worldwide. Today, species such as the Attwater's Prairie Chicken hang on the brink of extinction.

There are several explanations for species' rarity. Some species are naturally rare. Overharvesting caused the decline of the Kemp's Ridley Sea Turtle and the extinction of the Passenger Pigeon. Others, such as the Brown Pelican and Peregrine Falcon, are endangered because of the effects of pollutants in the environment. The introduction of non-native species contributed to the decline of the Pecos Pupfish, along with several other fish species. However, the vast majority of rare species in Texas are disappearing because their habitat is disappearing.

^{*} Copyright 1995, Western Regional Environmental Education Council, Inc.

Why save endangered species? Why should we care? One reason is that all species may at some point have a practical usefulness to people. There are many species whose potential scientific, medical, economic, and agricultural benefits are unknown. It was a fungus that gave us penicillin, and certain plants have yielded substances used in drugs to treat heart disease, cancer, and other serious illnesses. Texas wild-rice is closely related to other wild-rice species used as food crops. Each species which goes extinct carries with it all of its undiscovered value to people.

A less tangible reason for preserving species is for their aesthetic value. Many people value the opportunity to view a rare species or simply value the knowledge that such noble creatures as the Bald Eagle exist. In some cases this intangible value actually translates into economic value. The majestic Whooping Crane is the tallest bird in North America. Each year, over 50,000 people visit the Aransas National Wildlife Refuge on the Texas coast, the whoopers' only native wintering area. A survey of visitor expenditures indicates that the local economic impact of the Whooping Crane may total several million dollars.

A third reason for species conservation is that the extinction of species often represents much more than the loss of one species. In some cases, interdependencies between species means that the extinction of one species can jeopardize the balance of the ecosystem. For example, the extirpation of the Black-footed Ferret may have contributed to problems managing prairie dog populations. In other cases, the demise of species may signal trouble affecting the whole natural community. The decline of species high in the food web due to pesticide contamination, such as the Bald Eagle or the Peregrine Falcon, provide a stark example of how endangered species can warn of threats to people.

Finally, some would argue for the preservation of species simply upon ethical grounds. Many people believe that every creature, after adapting for thousands or even millions of years to a constantly changing environment, has an intrinsic right to exist. They believe that human-caused extinction is not only shortsighted, but wrong.

The following table (pages 7-14) describes all federally-listed endangered and threatened plants and animals of Texas, along with their ecoregion of occurrence, habitat requirements, and threats or reasons for decline. A map of the ecoregions of Texas is presented on page 15.

MATERIALS

Area large enough for students to run (i.e. playing field or gym), Black line drawings of threats to survival (pages 16-18), Masking tape or round colored stickers, Drawings or photos of endangered and threatened animals and plants (optional), Color photos of the habitats for each species (optional).



Rare and WILD Texas

(An Adaptation of Oh, Deer! from Project WILD*)



Rare and WILD Texas \mathcal{Y} (An Adaptation of Oh, Deer! from *Project WILD**)

Page 3

PROCEDURES

 This activity is an adaptation of "Oh Deer!" (found in the Project WILD activity guide), except that the students become an endangered or threatened animal instead of deer. Follow the "Oh Deer!" procedures to demonstrate how individual animals either survive or die depending on whether their habitat needs are met.

VARIATIONS


These variations of the basic activity can be used to teach students about the various threats and reasons for decline in Texas's endangered and threatened wildlife:

- 1. Urban Development: At the beginning of a round, give some of the "habitat elements" a picture (see black lines) representing urban development (houses, stores, and factories). Record the number of animals that die because their habitat elements (food, water, shelter) has been replaced by urban development. As more houses and stores replace habitat elements, do more animals die? Reiterate that the animal cannot survive without food, water, shelter, and space in a suitable arrangement. Animals such as the Attwater's Prairie Chicken, Ocefot, Golden-cheeked Warbler or the cave invertebrates are good choices to demonstrate how urbanization has resulted in loss of habitat and species decline.
- 2. Pesticide Contamination: After the "habitat elements" have chosen their symbols, place a small piece of masking tape or a colored sticker in the palm of one or more of the "food" symbols. The tape or sticker represents food contaminated with pesticide. When the animal returns to the other side with the contaminated food, it "dies" without reproducing. Both the animal and food element must return to the habitat to recycle (become habitat elements). This variation can be used to demonstrate the improper use of pesticides and the effects of dangerous pesticides such as DDT. Birds such as the Bald Eagle, Peregrine Falcon, or Brown Pelican are good examples of endangered and threatened animals affected by pesticide contamination.
- 3. Water Pollution: Place the masking tape or sticker in the palm of one or more of the "water" symbols. This indicates that pollutants, such as pesticides, trash, motor oil, toxic chemicals, etc. have entered the water systems. When the animal returns to the other side with the contaminated water, it "dies" without reproducing. Both the animal and the water element must return to the habitat to recycle. Fish (Fountain Darter, Comanche Springs Pupfish, Pecos Gambusia), amphibians (Barton Springs Salamander, San Marcos Salamander, Texas Blind Salamander), or sea turtles (ingest plastic trash and die) are good examples to use with this variation.
- Loss of Spring Habitat: Let the students who are animals become the desert spring fishes of west Texas (Comanche Springs Pupfish, Leon Springs Pupfish, Pecos Gambusia, Big Bend

Gambusia) or the animals that depend on the San Marcos and Comal spring systems of central Texas (Fountain Darter, San Marcos Salamander, Texas Blind Salamander). Without letting the animals know (while backs are turned), give the habitat elements a drawing or symbol (see black lines) representing a dry spring. When a spring ceases to flow, there is a complete loss of habitat (food, water, shelter) for the endangered fishes or salamanders who depend on that spring system. The animals die when the spring goes dry. This demonstrates what could happen to spring-dependent aquatic species if spring systems cease to flow due to overuse of groundwater by people.

Because certain plants, such as the endangered Texas wild-rice, also depend on clear, clean spring water, loss of spring habitat also affects rare plants. In this activity, let half the students be wild-rice plants growing in the San Marcos River. The "plants" can scatter themselves throughout the playing field. The remaining students become "spring water" flowing freely throughout the playing field. Problems for the plants begin when there is a prolonged drought. People continue to use the groundwater, but there is no rain to replace what is used. The springs dry up and the students representing "water" leave the playing field. Soon all the wild-rice plants die (the "plants" also leave the field). Luckity, biologists have maintained a small refugium (protected nursery where endangered plants are grown) for the Texas wild-rice. The next year rainfall is plentiful and fortunately the springs begin to flow again. The "water" returns to the playing field. Several students, designated as biologists, begin replanting wild-rice plants (obtained from the refugium located near the playing field) into the spring-fed river habitat. As long as the water continues to flow clean and clear, the wild-rice plants continue to reproduce and increase in number.

- 5. Illegal Shooting or Poaching: Select one or more "shooters" or "poachers" and have them stand in one location on the side of the playing field (see diagram on page 19). Place a hoola hoop on the ground beside each poacher. Inside the hoola hoop place 10 to 20 paper wads to be used as "bullets". Since poachers do not follow rules or game laws as legitimate hunters do, explain to the poachers that they can "kill" as many animals as they want to by hitting the animals with paper wads. Poachers can move throughout the playing field. However, they can only shoot one "bullet" at a time, and must return to the hoola hoop after each shot to get another bullet. Poachers can either harvest the dead animals or leave them to recycle into the habitat. When the round begins, poachers can begin "killing" animals as they move toward the habitat elements. Overharvest, poaching, and illegal shooting of animals such as the Eskimo Curlew, Whooping Crane or Kemp's Ridley Sea Turtle are good examples to use when demonstrating this threat. In fact, as recently as 1991, a female Whooping Crane was illegally shot by a vandal as she migrated northward through Texas. The nesting beach of the Kemp's Ridley in Mexico is regularly patrolled to prevent poachers from killing turtles to sell the meat or eggs.
- 6. Habitat Alteration: Choose one student to be a bulldozer (brush clearing), timber harvester (loss of pine habitat), or tractor and plow (conversion of habitat to cropland). Begin the round as usual. Ask the students to turn and face each other but not move. While both lines





Rare and WILD Texas (An Adaptation of Oh, Deer! from Project WILD*)

Page 5

remain stationary, the bulldozer, timber harvester, or tractor and plow will move through the habitat removing one or more food or shelter elements. When the machines are finished altering the habitat, let the animals move toward the habitat elements. Did some of them die as a result of the brush cover or timber being removed? Before each round, have the "equipment" move through the habitat. Remind the students that habitat alteration which removes necessary food and cover is a major reason for animals becoming endangered or threatened. The Red-cockaded Woodpecker (timber harvest); Black-capped Vireo, Golden-cheeked Warbler, or Ocelot (brush clearing); or Attwater's Prairie Chicken, Ocelot, or Jaguarundi (tractor and plow) are good examples that demonstrate this threat.

- 7. Introduction of Non-Native Species: In this activity, the students become fish and habitat elements. Have the students face each other. Select one student to be a fisherman and have him/her stand at the side of the playing field. Then select three to seven students to be non-native fishes in the fisherman's bait bucket. Have the non-native fish stand by the fisherman. Identify each non-native fish with a colored card or sticker. Explain that after a long day of fishing, this fisherman has decided to "release" the non-native fish from his bait bucket into the stream. After release, the non-native fish "swim" to join the endangered fishes. Have the students turn their backs and begin the round as usual. The non-native fish move toward the same habitat elements being sought by the endangered native fishes. Were some of the native fish outcompeted by the non-native introduced fish?
- 8. Threats to Endangered Plants: For this variation, the basic activity is modified to address the non-mobile nature of plants. To do this, we assume the "threats" can move but the endangered plants cannot. Most of the students become individual plants in a population, while a few students play the role of threats to the plants survival. The threats could include a "bulldozer", "mower", or "tractor and plow" to represent habitat loss and alteration, or "plant collectors" removing so many individuals from the population that the plants can no longer successfully reproduce. Set up the playing field with clumps of endangered plants growing in suitable habitats (see diagram). Decide on a species and an appropriate threat from the table. For habitat loss, blindfold the "bulldozer", "mower", or "tractor and plow" and have them walk across the playing field. When the machines run into a clump of plants, that population is destroyed. To demonstrate the threat of plant collection, let the "plant collectors" move through the populations of endangered plants removing as many plants as they can in 30 seconds. The collectors must take one plant at a time back to the starting line.

When the rounds are over, ask the students to describe what happened to the plant populations. What could have been done to avoid destroying the endangered plants? Start the round again, only this time employ a "planner" to direct the "bulldozer" or "tractor" so that the rare plants survive. Have the "planner" pace off the distance and determine the direction of each plant in relation to the location of the "bulldozer" or to a designated corner of the playing field. You may want to limit these calculations to two or three plants or plant clumps and have the "planner" record his calculations or drawings on a data sheet. Once the equipment operators know the exact locations of each plant, they can avoid destroying the endangered plants and their habitat.

To demonstrate the threat of overgrazing by livestock and/or deer, have about one-third of the students stand outside the playing field. These students represent grazing or browsing animals (deer, cattle, goats). The rest of the students are endangered plants (Texas snowbells would be a good example since it is readily eaten by deer). Explain that each goat or deer can enter the playing field, ear one plant, and return to the starting line with the consumed plant. Continue to increase the number of grazing animals in relation to plants until all the plants have been eaten.

Because fire is an important component of many ecosystems, some plants depend on periodic fire to survive. For example, periodic fires maintain the open pine forests favorable for the growth of Texas trailing phlox, an endangered plant. To demonstrate the importance of periodic natural fires in maintaining populations of certain rare plants, divide the students into three equal groups. Group I will be the rare plants scattered about the playing field. The "rare plants" hold their arms up like feaves absorbing the sunlight. Give each member of Group 2 a drawing of a fire flame (see black lines). Group 3 will represent the "fire fighters" whose job it is to put out the fire. In the first round, the "fires" will try to make it across the playing field without being caught by the "fire fighters". If most of the "fires" make it across, the plant population will survive. However, if most of the fire group is caught and extinguished by the "fire fighters", the plants will die (dead plants must leave the playing field).

EVALUATION

- Define endangered species; threatened species.
- 2. Define "limiting factors". Give three examples.
- Name three endangered species which occur in Texas and the reasons these species have become endangered.
- Name two reasons we should care about endangered and threatened species.

Age: Grades 3-8

Subjects: Science, Math, Social Studies, Physical Education

Skills: application, comparing similarities and differences, description, discussion,

generalization, kinesthetic concept development, observation, psychomotor

development

Duration: 30 to 45 minutes


Group Size: 15 and larger recommended

Setting: indoors or outdoors, large area for running needed

Key Vocabulary: endangered species, limiting factors, population, ecosystem, threats to

survival, extinct, extirpated





:::

Educator's Guide to Endangered and Threatened Animals of Texas

PRESUMED

1. 61.

SPECIES		ECOREGION	HABITAT	THREATS/REASONS FOR DECLINE
Greater Long-nosed Bat	Ė.	Trans-Pecos	High desert regions of Big Bend National Park	 Harvest of agave plants to make liquor Vulnerable to disturbance at the roost site
Jaguarundi	P.	South Texas Brush Country:	Dense, thomy, low-brush	Clearing of brush habitat
Ocelot	E.	South Texas Brush Country	Dense, thorny, low brush	Clearing of brush habitat
American Perceptine	Œ N	Trans-Pecos	Nest on high cliff ledges	Reproductive failure due to pesticide contamination
Attwater's Frairie Chicken	В	Gult Coast Practice Later A.	Tall grass coastal prairie	Loss and decline of tallgrass prairie habitat
Bald Eagle	T	Breeding populations occur in these eastern half of Texas; Wintering eagles occur in suitable habitat throughout Texas	Breeding In Texas, along river isystems or lakeshores with large, tal trees Wintering - mostly near large lakes and reservoirs	Reproductive failure due to pesticide contamination Human disturbance in some areas Loss of nesting habitat
Black capped Vireo	E	Edwards Plateau	Serni-open rangelands with a diversi of low growing shrubs	Overbrowsing by deer and/or livestock Cowbird parasitism
Eastern Brown Petican	. E	Along the Texas Gulf coast	Offshore islands, spoil islands, and mudbanks	 Reproductive failure due to pesticide contamination Disturbance at nesting islands
Eskimo Curlew	E	Migrated through the grasslands of central Texas	Migrated from the Arctic tundra breeding grounds to the Pampas grasslands of Argentina. They used the tallgrass prairies of Texas and the midwest during migrations.	hunters during late 1800's
E - Federally-listed as	Endanger		epared by I Resources Branch	Page 7

Texas Parks and Wildlife Department

- Federally-listed as Threatened

Endangered and Threatened Animals of Texas

SPECIES		ECOREGION	HABITAT	THREATS/REASONS FOR DECLINE
		St. ne.		
Golden-cheeked Warbler	B	Edwards Plateau & 1	Mature woodlands of oaks and Ashe juniper	Clearing of woodland habitat
Interior Least Tern	Ė.	Along the Canadian and Red Rivers in the High and Rolling Plans, and at reservoirs along the Rio Grande in South Texas	Bare sand, shell, and gravel beaches, sandbars, and islands associated with rivers and reservoirs.	 Loss of nesting habitat due to alteration of the major river systems of the midwest Human disturbance along inland rivers
Mexican Spotted Owl	* T .	Trans-Pecos	Canyon woodlandson mountain ranges of West Texas	Loss of old-growth forest habitat
Northern Aplomado Falcon	E	Grasslands of the Gulf Coastal Prairie and Trans-Pecos	Open grassland with scattered clumps of trees or shubs	Loss of grassland habitat due to brush encroachment
				 Conversion of rangeland to cropland Pesticide contamination
Piping Plover	T	Winters along the Texas Gulf coast.	Tida, mudflais, sandflats, or algal flats	 Loss and alteration of breeding habitat on the Great Lakes and along inland rivers in the midwest
				Industrial and urban expansion along the Texas Gulf Coast
Red-cockaded	E	Pineywoods	Pinewoods with widely-spaced,	 Loss of large, mature pines
Woodpecker	~		large mature pine trees	 Lack of prescribed fire to maintain open pinewoods
Whooping Crane	E	Winters on the Texas Gulf Coast	Marshes and sait flats of Aransas National Wildlife Refuge and nearby areas	 Human disturbance, accidental shooting and loss of wetland breeding habitat
				 Threat of oil spills along the Texas coast

E T

⁻ Federally-listed as Endangered - Federally-listed as Threatened

Endangered and Threatened Animals of Texas

SPECIES	ECOREGION	HABITAT	THREATS/REASONS FOR DECLINE
EDWARDS AQUIFER SPEC San Marcos Salamander Texas Blind Salamander San Marcos Gambusia (fish) Fountain Darter (fish)	CIES: Edwards Plateau T E E E	Spring-fed waters of the San Ma and Comal rivers in central Texa	Potential loss of spring flow due to overuse of aquifer water Increased urbanization leading to water pollution and other human impacts
MARINE TURTLES Kemps Ridley Loggerhead Green Hawksbill Leatherback	E Oak Woods and Prairies Gulf of Mexico E T T T	Pine/oak woodland or savannah deep, sandy soils Coastal waters	 Alteration of breeding ponds Loss of native vegetation Fire ants kill toadlets and may affect food supply Overharvest of meat and eggs from 1940's 1970's Mortality in trawl nets Mortality from ingestion of plastic trash
Concho Water Snake Clear Creek Gambusia	T Rolling Plains E Edwards Plateau	Free-flowing streams over rocks shallow riffles, and rocks or crew along banks and shorelines Spring-fee headwaters of Clear Creek, a tributary of the San Sak River in Menard County	Limited distribution

E - Federally-listed as Endangered
T - Federally-listed as Threatened

Prepared by Endangered Resources Branch Texas Parks and Wildlife Department

PRESUMED

Endangered and Threatened Animals of Texas

Т

- Federally-listed as Threatened

PRESUMED THREATS/REASON FOR DECLINE **SPECIES ECOREGION** HABITAT Loss of spring flows
Competition with introduced fishes Spring feel desert wetlands and Trans-Pecos **DESERT SPRING FISHES:** Comanche Springs Pupfish E Hybridization with introduced fishes Ē Leon Springs Pupfish Ė Pecos Gambusia E Big Bend Gambusia Filling and collapse of caves and Salteration of drainage patterns KARST INVERTEBRATES: Edwards Plateau, Travis and Limestone caves, sinkholes and Williamson Counties 200 Bee Creek Cave Harvestman Ē Contamination by pollutants Bone Cave Harvestman Ė Human disturbance E Tooth Cave Pseudoscorpion Fire ants Ē Tooth Cave Spider Tooth Cave Ground Beetle Kretschmarr Cave Mold Beetle E. Coffin Cave Mold Beetle Prepared by E - Federally-listed as Endangered Endangered Resources Branch

Texas Parks and Wildlife Department

Educator's Guide to Endangered and Threatened Plants of Texas PRESUMEI

PRESUMED

SPECIES		ECOREGION	HABITAT	THREATS/REASONS FOR DECLINE
Texas snowbells	Ė	Edwards Plateau	Limestone ledges or cliff faces along perennial streams	Overbrowsing of seedlings by deer, exotics and domestic animals.
Texas wild-rice	E	Edwards Plateau (only in upper three miles of San Marcos Reven)	San Marcos River; clear constant temperature, spring-fee water	 Potential loss of spring flow Invasion of exotics (giant rams horn snail, nutria, elephant ears, hydrilla) High recreational use Run off pollution Multiple dams
Tobusch fishhook cactus	E	Edwards Plateau	Ashe juniper/oak rangelands on rocky alkaline soils	Collection Predation by cactus moth larva Habitat alteration
Blacklace cactus	E	Gulf Costal Prairies	Grasslands or mesquite-invased grasslands	Agricultural clearing Oil industry activities
Texas prairie dawn	E	Gulf Costal Prairies	Poorly drained, sparsely vegetated areas ("slickspots") at the base of miras (or pample) mounds in open-grasslands	Loss of coastal prairie habitat Urbanization
Slender rush-pea	Ę	Gulf Costal Practica	Grasslands or mesquite-invaded grasslands	 Agricultural clearing Oil industry activities
South Texas ambrosia	E	Gulf Coastal Prairies	Grasslands often with mesquite invading	Agricultural clearing Oil industry activities
Large-fruited sand verbena	E "	Oak Woods and Prairies	Openings within oak woodland on deep dynamic sands	Possibly always rare Oil industry activities Loss of native vegetation
e e e e e e e e e e e e e e e e e e e	a.a A	. The second contract of the second contract		

- Federally-listed as Endangered

- Federally-listed as Threatened

Endangered Resources Branch Texas Parks and Wildlife Department

Endangered and Threatened Plants of Texas

SPECIES	ECOREGION	HABITAT	PRESUMED THREATS/REASONS FOR DECLINE
Navasota ladies'-tresses	E Gak Woods and Prairies	Associated with openings and drinnages in post oak woodlands	Coal mining Urbanization
Texas trailing phlox	Pineywoods	Deep sandy soils of longleaf pine woodlands	Suppression of fireLogging
White bladderpod	E Pineywoods (only in one county)	Occurs within natural openings of pine-oak woodlands usually on glades over Weeks Formation pronstone/glaveonite on alkaline soils	 Possibly always rare Narrow range of soils Conversion of natural habitat
Texas poppy-mallow	E Rolling Plains	Within grasslands or open oak/ mesquite woodlands, usually on deep Tivoli sands	 Sand mining Loss and alteration of habitat Oil and gas development
Ashy dogweed	E South Texas Brush Country	Found in mesquite grassland openings of thorny shrublands on deep, sandy soils	 Loss of native rangeland habitat Possibly always limited distribution
Johnston's frankenia	E South Texas Brush Country	y Saline rocky hitlsides or saline clay loam flats within openings of thorny shrublands	Loss of native rangeland habitat Narrow range of soils
Star cactus	E South Texas Brush Country (only one population in Te		 Collection Limited distribution Loss of native rangeland habitat
Texas ayenia	E South Texas Brush Country	deposits on flood plains and terraces	Agricultural clearing Urbanization
		of the Rio Grande	

B - Fe T - Fe

- Federally-listed as Endangered - Federally-listed as Threatened Prepared by Endangered Resources Branch Texas Parks and Wildlife Department

Endangered and Threatened Plants of Texas

SPECIES_	ECOREGION	HABITAT	FÖR DECLINE
Walker's manioc	E South Texas Brush Country	Found in openings of thomy shrublands on sandy loam soils	Loss of native rangeland habitat
Bunched cory cactus	T Trans-Pecos	Rocky slopes, ledges and flats in the Chihuahuan Désert on limestone	• Collection
Chisos hedgehog cactus	Trans-Pecos (only in Big Bend National Park)	Open strublands on gravelly flat alluvial fan deposits	Collection Habitat loss
Davis green pitaya	E Trans-Pecos (only in vicinity of Marathon)	Rocky hilistries of novaculite (a particular kind of rock) outcrops with sparse vegetation	Collection Restricted to novaculite outcrops Possibly always rare
Hinckley's oak	T Trans-Pecos	Found along arid limestone slopes at mid-elevations in Chihuanuan Desert	 Climatic change (possibly a relict species) Evidence from fossil pack rat middens
			indicates that this species was more common 10,000 years ago when the climate was more mesic (wet)
Little Aguja pondweed	E Trans-Pecos	Known to occur only within quiet seepage pools in Little Aguja Creek in the Davis Mountains	 Possibly always rare Potential water diversion, over allocation of water
Lloyd's mariposa cactus	T Trans-Pecos	In full sun on limestone outcrops or rocky, alkaline soils on slopes or mesas	 Collection Habitat loss and alteration
Nellie cory cactus	E Trans-Pecos (only in vicinity of Marathon)	Rocky hillsides of novaculite (a particular kind of rock) outcrops with sparse vegetation	 Collection Limited Distribution
1 N. N. 1 N.			

E - Federally-listed as Endangered
T - Federally-listed as Threatened

Prepared by
Endangered Resources Branch
Texas Parks and Wildlife Department

Endangered and Threatened Plants of Texas

PRESUMED THREATS/REASONS FOR DECLINE **SPECIES ECOREGION** Eryk incky, timestone outcrops, on slopes in incuntains of Chihuahuan Collection Sneed pincushion cactus Trans-Pecos Habitat loss Trans-Pecos (known only in a six mile radius near Terlingua)


Barren, dry, gypseous clay or chalky shales on low rounded hills and slopes • Limited distribution · Habitat loss and alteration Terlingua Creek cat's-eye with sparse vegetation

B T - Federally-listed as Endangered

- Federally-tisted as Threatened

Prepared by
Endangered Resources Branch
Texas Parks and Wildlife Department

Ecoregions of Texas







. ::.











Playing Field for Illegal Shooting or Poaching



Playing Field for Endangered Plants





Rare and WILD Texas (An Adaptation of Oh, Deer! from Project WILD*)

