

REFERENCES

- Barbour, M.T., J.L. Plafkin, B.P. Bradley, C.G. Graves, R.W. Wisseman. 1992. Evaluation of EPA's rapid bioassessment benthic metrics: metric redundancy and variability among reference stream sites. *Environmental Toxicology and Chemistry* 11:437-449.
- Burd, A.B. and K.H. Dunton. 2000 . Field verification of a light-driven model of Biomass changes in the seagrass *Halodule wrightii*. *Marine Ecology Progress Series* 209:85-98.
- Batiuk, R. L. (ed.). 1995. Chesapeake Bay Program: Submerged aquatic vegetation workgroup guidance for protecting submerged aquatic vegetation in Chesapeake Bay from physical disruption. US Environmental Protection Agency, Chesapeake Bay Program Office, Annapolis, MD. Report EPA 903-R-95-013 and CBP/TRS 139/95. 15 pp + appendix.
- Coastal Bend Bays and Estuary Program (previously Corpus Christi Bay Program). 1998. The Coastal Bend Bays Management Plan. Publication CCBNEP-31. Coastal Bend Bays and Estuary Program, Corpus Christi, TX. 76 p.
- Dennison, W.C., R.J. Orth, K.A. Moore, J.C. Stevenson, V. Carter, S. Kollar, P.W. Bergstrom, and R.A. Batiuk. 1993. Assessing water quality with submersed aquatic vegetation. *BioScience* 43 (2): 86-94.
- Dobson, J. E., E. A. Bright, R. L. Ferguson, D. W. Field, L. L. Wood, K. D. Haddad, H. Iredale III, J. R. Jensen, V. V. Klemas, R. J. Orth, and J. P. Thomas. 1995. *NOAA Coastal Change Analysis Program (C-CAP): Guidance for Regional Implementation*. National Marine Fisheries Service, Seattle, WA. NOAA Technical Report NMFS 123, 92 pp.
- Dunton, K.H. 1994. Seasonal growth and biomass of the subtropical seagrass *Halodule wrightii* Aschers. in relation to continuous measurements of underwater irradiance. *Marine Biology* 120:479-489.
- Dunton, K.H. 1996. Photosynthetic production and biomass of the subtropical seagrass *Halodule wrightii* along an estuarine gradient. *Estuaries* 19:436-447.
- Dunton, K.H., S. Schonberg, S. Herzka, P.A. Montagna, and S. Holt. 1998. Characterization of anthropogenic and natural disturbance on vegetated and unvegetated bay bottom habitats in the Corpus Christi Bay National Estuary Program study area. Vol. II: Assessment of propeller scarring in seagrass beds. Publication CCBNEP-23 (Texas Natural Resource Conservation Commission, Austin , TX). 65 pp.

- Dunton, K.H., A. B. Burd, L. A. Cifuentes, P. M. Eldridge, and J. W. Morse. 2002. The effect of dredge deposits on the distribution and productivity of seagrasses: an integrative model for Laguna Madre. Final Grant Report to the Corps of Engineers, Galveston District from Univ. of Texas Marine Science Institute. In press.
- EPA/ORD/NHEERL. 2002. Aquatic Resource Monitoring – Spatial Grids. http://www.epa.gov/nheerl/arm/global_grids.htm
- Everitt, J.H., D.E. Escobar, C. Yang, R.I. Lonard, F.W. Judd, M.A. Alaniz, I. Cavazos, M.R. Davis, and D.L. Hockaday. 1999. Distinguishing ecological parameters in a coastal area using a video system with visible/near-infrared/mid-infrared sensitivity. *J. Coastal Research* 15 (4): 1145-1150.
- FGDC (Federal Geographic Data Committee). 2003. <http://www.fgdc.gov>
- Ferguson, R. L., L. L. Wood, and D. B. Graham. 1993. Monitoring spatial change in seagrass habitat with aerial photography. *Photogrammetric Engineering & Remote Sensing* 59(6) 1033-1038.
- Fourqurean, J. W., A. Willsie, C.D. Rose, and L.M. Rutten. 2001. Spatial and temporal patterns in seagrass community composition and productivity in south Florida. *Marine Biology Journal* 138:341-354.
- Galveston Bay National Estuary Program. 1995. The Galveston Bay Plan. Publication GBNEP-49. Galveston Bay National Estuary Program, Clear Lake, Texas.
- Greening, H. S. (ed.). 2002. Seagrass Management: It's not just nutrients! Proceedings of Symposium, 2000 August 22-24, St. Petersburg, FL. Tampa Bay Estuary Program. 246 p.
- Heggen, D.T., A.C. Neale, C.M. Edmonds, L.A. Bice, R.D. Van Remortel, and K.B. Jones. 1999. An Ecological Assessment of the Louisiana Tensas River Basin. US EPA, Office of Research and Development. Publication EPA/600R-99/016. 123 p.
- Hair J.F., R.E. Anderson, R.L. Tatham, W.C. Black. 1995. *Multivariate Data Analysis*. 4th Ed. Prentice Hall, Englewood Cliffs NJ.
- Hunt, D.T.E. and A.L. Wilson. 1986. *The Chemical Analysis of Water: General Principles and Techniques*. 2nd ed. Royal Society of Chemistry, London, England 683 pp.

- Ikenson, B. 2001. Re-carpeting Galveston Bay. Land and Water Magazine, Sept.-Oct. issue p. 32-33.
- Isaaks, E.H., and R.M. Srivastava, An Introduction to Applied Geostatistics, Oxford University Press, 1989.
- Jonsdottir, J.F., D.R. Maidment, and K.H. Dunton, 2000. A GIS analysis of the benthic community in the Western Arctic Ocean, CRWR Online Report 2000-5, Center for Research in Water Resources, University of Texas at Austin, August.
- Lathrop, R.G., R.M. Styles, S.P. Seitzinger, and J.A. Bognar. 2001. Use of GIS mapping and modeling approaches to examine the spatial distribution of seagrasses in Barnegat Bay, New Jersey. *Estuaries* 24:904-916.
- Lee K-S. and K.H. Dunton. 2000. Inorganic nitrogen acquisition in the seagrass *Thalassia testudinum*: development of a whole-plant nitrogen budget. *Limnology and Oceanography* 44(5):1204-1215.
- McEachron, L.W., W. Pulich, Jr., B. Hardegree, and K. Dunton. 2001. Seagrass Restoration and Protection (Redfish Bay). Final Grant Report to National Marine Fisheries Service for NMFS Grant NA96FK0204. TPWD, Resource Protection Division, Austin, TX. 56 p.
- McRoy, C. P., and C. McMillan. 1977. Production ecology and physiology of seagrasses, p. 53-81. In McRoy, C.P. and C. Helfferich (eds.), *Seagrass Ecosystems: A Scientific Perspective*, Marcel Dekker Publ., New York.
- Morris, L. J., R.W. Virnstein, J.D. Miller, and L.M. Hall. 2000. Monitoring seagrass changes in Indian River Lagoon, Florida using fixed transects. In *Seagrasses: Monitoring, Ecology, Physiology, and Management*. S.A. Bortone (ed.), CRC Press, Boca Raton, FL., pp. 167-176.
- Mumby, P., and A.R. Harborne. 1999. Development of a systematic classification scheme of marine habitats to facilitate regional management and mapping of coral reefs. *Biological Conservation* 88:155-163.
- Neckles, H.A. (ed.). 1994. Ecological Indicator Development: Seagrass Monitoring and Research in the Gulf of Mexico. Publ. EPA/620/R-94/029. Environmental Research Laboratory, Office of Research and Development. U.S. EPA, Gulf Breeze, FL. 64 p.
- Norris, J.G., S. Wyllie-Echeverria, J.R. Skalski, R.C. Zimmerman, and K. Ewing. 2001. Washington State Department of Natural Resources Submerged Vegetation

- Monitoring Project. Final 2000 Project Plan. Wash. State Dept. of Natural Resources, Olympia, WA. 55p. + Appendices.
- NOAA Coastal Services Center. 2001. Guidance for Benthic Habitat Mapping: An Aerial Photographic Approach (by Mark Finkbeiner, Bill Stevenson, and Renee Seaman, NOAA-CSC, Charleston, SC). NOAA/CSC/20117-PUB. 73 pp.
- NOAA-ORCA (National Oceanic and Atmospheric Administration, Office of Ocean Resources Conservation Assessment).1996. National EstuarineEutrophication Survey. Draft Report, NOAA, Strategic Environmental Assessments Division, Silver Spring, Md. 48 pp.
- Onuf, C. P. 1994. Seagrasses, dredging and light in Laguna Madre, Texas, U.S.A. *Estuarine, Coastal and Shelf Science* 39:75-91.
- Orth, R. J. and K. A. Moore. 1983. Chesapeake Bay: an unprecedented decline in submerged aquatic vegetation. *Science* 222:51-53.
- Phillips, R.C. and C.P. McRoy (eds.). 1990. *Seagrass Research Methods*. UNESCO, Paris, France. 105 pp.
- Pulich, W., Jr. and W. White. 1991. Decline of submerged vegetation in the Galveston Bay system: chronology and relationship to physical processes. *Journal of Coastal Research* 7 (4): 1125-1138.
- Pulich, W., Jr., C. Blair, and W.A. White. 1997. Current status and historical trends of seagrass in the Corpus Christi Bay National Estuary Program study area. Publication CCBNEP-20 (Texas Natural Resource Conservation Commission, Austin , TX). 131 pp.
- Pulich, W.M., Jr., R.W. Virnstein, S. Wyllie-Echeverria, R. Fletcher, and H.D. Berry. 2003. Deriving landscape indicators of stress for the seagrass biome. Abstract for 17th International Conference of the Estuarine Research Federation, Seattle, WA. Sept. 2003.
- Quammen, M. and C. Onuf. 1993. Laguna Madre: Seagrass changes continue decades after salinity reduction. *Estuaries* 16:302-310.
- Robbins, B. D. and S. S. Bell. 1994. Seagrass landscapes: a terrestrial approach to the marine subtidal environment. *Trends in Evolutionary Ecology* 9(8): 301-303.
- Robbins, B.D. 1997. Quantifying temporal change in seagrass areal coverage: the use of GIS and low resolution aerial photography. *Aquatic Botany* 58:259-267.

- Seagrass Conservation Plan for Texas. 1999. Resource Protection Division, Texas Parks and Wildlife Dept., Austin, Texas. 67 p.
- Terrados, J., C.M. Duarte, M.D. Fortes, J. Borum, N.S. Agawin, S. Bach, U. Thampanya, L. Kamp-Nielson, W.J. Kenworthy, O. Geertz-Hansen, and J. Vermaat. 1997. Changes in community structure and biomass of seagrass communities along gradients of siltation in SE Asia. *Estuarine, Coastal and Shelf Science* 46:757-768.
- Vidondo, J., A.L. Middleboe, K. Stefansen, T. Lutzan, S.L. Nielsen, and C.M. Duarte. 1997. Dynamics of a patchy seagrass (*Cymodocea nodosa*) landscape: Size and age distributions, growth and demography of seagrass patches. *Mar. Ecol. Prog. Ser.* 158: 131-138.